




**DEDO  
WEIGERT  
FILM**

**LEDGO**

---

**Price List 09/2021**














All prices reflect German list prices in Euro, excluding value added tax, "ex warehouse Munich". Valid for sales in Germany and Austria only. All specifications and prices are subject to change without prior notification.  
Dedo Weigert Film GmbH - Karl-Weinmair-Str. 10 - 80807 Munich / Germany



LEDGO TECHNOLOGY LIMITED  
Price List 09/2021

Model No.	Picture for reference	Description	Specification	Configuration	Packing Info	List Price EURO	EAN Code
<b>Magic Hue RGB LED Panel Light</b>							
LG-G160		LEDGO LG-G160 MagicHue Series LED Studio Light, 160W, RGBW with DMX incl. Flight Case, Barndoor	Power:160W Power Source: 48V DC 3.34A, 100-240V AC, Sony V-lock battery Illumination(LM):2700K: 9760LM; 7500K: 10880LM Color Temperature: 2700K-7500K CRI:Ra:95 Brightness Control:Dimmer/DMX/WIFI or 2.4G	LG-G160*1 Barndoor*1 Adapter set *1 Flight case *1	PCS/CTN: 1PC/CTN Carton Size(CM): 68*26*81 G.W.(kg): 23.5	1.343,00	6949987481225
LG-G260		LEDGO LG-G260 MagicHue Series LED Studio Light, 260W, RGBW with DMX, incl. Flight Case, Barndoor	Power:260W Power Source: 48V DC 5.8A, 100-240V AC, Double Sony V-lock battery Illumination(LM): 2700K: 15887LM; 7500K: 18617L Color Temperature:2700K-7500K CRI:Ra:95 Brightness Control:Dimmer/DMX/WIFI or 2.4G	LG-G260*1 Barndoor*1 Adapter set *1 Flight case *1	PCS/CTN: 1PC/CTN Carton Size(CM): 98*25*74 G.W.(kg): 34	1.874,00	6949987480662
<b>LED Ring light (Bi-color Version)</b>							
LG-R320C		LEDGO LG-R320C LED ring light, 32W, bicolor with 2.4G, WIFI APP	Power:32W Power Source:15V DC Sony NP-F750/970 Battery Illumination(LM):2193LM Color Temperature:3200K-5600K CRI:95 Brightness Control: Dimmer/DMX/WIFI/2.4G	Ring light * 1 adapter*1 rail * 1 handle* 1 carrying bag*1	PCS/CTN: 4PCS/CTN Carton Size(CM): 48*48*49 G.W.(kg): 18	189,00	6949987404347
<b>PAD-Series panel light (Bi-color Version)</b>							
LG-E116C		LEDGO LG-E116C Ultra-soft Series on-camera Light, 11.6W, Bi-color with 2.4G, WIFI APP	Battery Level Indicator: Yes Brightness Control: WIFI, 2.4G and Dimmer Colour Temperature: 3200K - 5600K Control: Wifi Box - Brightness, Colour Temperature & Colour CRI (Ra): 95 Dimensions: 174 x 120 x 16mm Illumination: (LM):5600K - 666; 3200K - 664 / (LUX):750 @ 0.5M Light Type: On Camera Modular: No Weight: Approx. 230g			50,00	
LG-E268C 1KIT		LEDGO LG-E268C 1KIT, bicolor, soft LED 1- Pad light kit & carry bag	Power:26.8W Power Source: 15V3A adapter Sony NP series battery Illumination(LM):2165LM Color Temperature:3200K-5600K CRI:Ra:95 Brightness Control:WIFI/2.4G/DMX/ key dimming	LG-E268C*1 power adapter*1 Honeycomb grid *1 Carrying Bag*1	PCS/CTN: 5PCS/CTN Carton Size(CM): 50*40*43 G.W.(kg): 14.4	168,00	6949987481980
LG-E268C 2KIT		LEDGO LG-E268C 2KIT, bicolor, soft LED 2- Pad light kit & carry bag	Power:26.8W Power Source: 15V3A adapter Sony NP series battery Illumination(LM):2165LM Color Temperature:3200K-5600K CRI:Ra:95 Brightness Control:WIFI/2.4G/ key dimming	LG-E268C*2 power adapter*2 Honeycomb grid *2 Carrying Bag*1	PCS/CTN: 5PCS/CTN Carton Size(CM): 63*39*51 G.W.(kg): 18	317,00	6949987404415
LG-E268C 2KIT+T		LEDGO LG-E268C 2KIT+T kit, bicolor, soft LED 2- Pad light kit with light stands & carry bag	Power: 26.8W Power Source: 15V3A adapter Sony NP series battery Illumination(LM): 2165LM Color Temperature: 3200K-5600K CRI:Ra:95 Brightness Control: WIFI/2.4G/ key dimming	LG-E268C*2 Adapter set *2 handle*2 light stand*2 carrying bag*1*	PCS/CTN: 1PC/CTN Carton Size(CM): 74*25*45 G.W.(kg): 18.2	409,00	6949987481546
<b>Studio Stream Series panel light</b>							
LG-S150M		LEDGO LG-S150M Studio Stream Series LED Studio soft light, 150W, daylight with DMX	Power:150W Power Source:48V DC 100-240V AC, Sony V-lock battery Illumination(LM):12728LM Color Temperature:5600K CRI:Ra:95 Brightness Control:Dimmer/DMX/WIFI/ 2.4G	LG-S150M*1 Barndoor*1 AC adapter set*1 Carrying bag*1	PCS/CTN: 1PCS/CTN Carton Size(CM): 75*25*72 G.W.(kg):	799,00	6949987481553
LG-S150MC		LEDGO LG-S150MC Studio Stream Series LED Studio soft light, 150W, Bi-color with DMX, 2700K-7500K	Power:150W Power Source:48V DC 100-240V AC, Sony V-lock battery Illumination(LM):12122LM Color Temperature:2700K-7500K CRI:Ra:95 Brightness Control:Dimmer/DMX/WIFI/ 2.4G	LG-S150MC*1 Barndoor*1 AC adapter set*1 Carrying bag*1	PCS/CTN: 1PCS/CTN Carton Size(CM): 75*26*72 G.W.(kg):	867,00	6949987481492

Model No.	Picture for reference	Description	Specification	Configuration	Packing Info	List Price EURO	EAN Code
LG-S280M		LEDGO LG-S280M Studio Stream Series LED Studio soft light, 280W, daylight with DMX	Power:280W Power Source:48V DC 100-240V AC, Sony V-lock battery Illumination(LM):LM LUX:6445LUX/1M;1870LUX/2M;852LUX/3M;509LUX/4M;344LUX/5M Color Temperature:5600K CRI:Ra:95 Brightness Control:Dimmer/DMX/WiFi/ 2.4G	LG-S280M*1 Barndoor*1 AC adapter set*1	PCS/CTN: 1PCS/CTN Carton Size(CM): 98*73*25 G.W.(kg):21.5	1.117,00	6949987481836
LG-S280MC		LEDGO LG-S280MC Studio Stream Series LED Studio soft light, 280W, Bi-color with DMX, 2700K-7500K	Power:280W Power Source:48V DC 100-240V AC, Sony V-lock battery Illumination(LM): 2700K: 5760LUX/1M; 1685LUX/2M; 803LUX/3M; 482LUX/4M; 326LUX/5M 7500K: 7369LUX/1M; 2083LUX/2M; 989LUX/3M; 587LUX/4M; 408LUX/5M Color Temperature:2700K-7500K CRI:Ra:95 Brightness Control:Dimmer/DMX/WiFi/ 2.4G	LG-S280MC*1 Barndoor*1 AC adapter set*1	PCS/CTN: 1PCS/CTN Carton Size(CM): 98*73*25 G.W.(kg):21.5	1.229,00	6949987481843
<b>T-Series panel light</b>							
LG-T1440MCIV		LEDGO LG-T1440MCIV Ultra-soft Series LED Studio Light, 144W, Bi-color with DMX, 2700K-7500K,	LED panel light with improved color rendering CRI up to 95 Shading flaps Possibility of manual and remote regulation of color intensity and temperature 2x V-mount board for battery power DMX pass-through interface Standard pin attachment 16mm			805,00	
<b>Value LED panel light</b>							
LG-600SC		LEDGO LG-600SC, Value Series LED Studio Panel Light, 36W, Daylight	Power:36W Power Source:12-16.8V DC Sony V-lock Battery Plate Illumination(LM):3210LM Color Temperature:5600K CRI:Ra:95 Brightness Control:Dimmer/wifi/2.4G	LG-600SC*1 filter set * 1 AC adapter Set * 1 Carrying bag*1	PCS/CTN: 5PCS/CTN Carton Size(CM): 48*43*63 G.W.(kg): 22	257,00	6949987402619
LG-600SCII		LEDGO LG-600SCII, Pro Series LED Studio Panel Light, 36W, Bi-color	Power:36W Power Source:12-16.8V DC Sony V-lock Battery Plate Illumination(LM):2667.5LM Color Temperature:3200K-5600K CRI:Ra:95 Brightness Control:Dimmer/wifi/2.4G	LG-600SCII*1 filter set * 1 AC adapter Set * 1 Carrying bag*1	PCS/CTN: 5PCS/CTN Carton Size(CM): 48*43*63 G.W.(kg): 22	280,00	6949987481317
LG-600DSC		LEDGO LG-600DSC, Value Series LED Studio Panel Light, 36W, 5600K, with DMX				322,00	
LG-900SC		LEDGO LG-900SC, Value Series LED Studio Panel Light, 54W, Daylight	Power:54W Power Source:12-16.8V DC 100-240V AC Sony V-lock Battery Plate Panasonic or Anton Battery Illumination(LM):6850LM Color Temperature:5600K CRI:Ra:95 Brightness Control:Dimmer/wifi/2.4G	LG-900SC*1 filter set * 1 AC adapter Set * 1 Carrying bag*1	PCS/CTN: 4PCS/CTN Carton Size(CM): 50*48*51 G.W.(kg): 23	353,00	6949987402657
LG-900SCII		LEDGO LG-900SCII, Pro Series LED Studio Panel Light, 54W, Bi-color	Power:54W Power Source:12-16.8V DC 100-240V AC Sony V-lock Battery Plate Panasonic or Anton Battery Illumination(LM):6025LM Color Temperature:3200K-5600K CRI:Ra:95 Brightness Control:Dimmer/wifi/2.4G	LG-900SCII*1 filter set * 1 AC adapter Set * 1 Carrying bag*1	PCS/CTN: 4PCS/CTN Carton Size(CM): 50*48*51 G.W.(kg): 23	380,00	6949987481324
LG-1200SC		LEDGO LG-1200SC, Value Series LED Studio Panel Light, 72W, Daylight	Power:72W Power Source:14-16.8V DC 100-240V AC Sony V-lock Battery Illumination(LM):8200LM Color Temperature:5600K CRI:Ra:95 Brightness Control:Dimmer/wifi/2.4G	LG-1200SC*1 filter set * 1 AC adapter Set * 1 Carrying bag*1	PCS/CTN: 4PCS/CTN Carton Size(CM): 57*50*53 G.W.(kg): 25	446,00	6949987404842
LG-1200SCII		LEDGO LG-1200SCII, Pro Series LED Studio Panel Light, 72W, Bi-color	Power:72W Power Source:14-16.8V DC 100-240V AC Sony V-lock Battery Illumination(LM):8050LM Color Temperature:3200K-5600K CRI:Ra:95 Brightness Control:Dimmer/wifi/2.4G	LG-1200SCII*1 filter set * 1 AC adapter Set * 1 Carrying bag*1	PCS/CTN: 4PCS/CTN Carton Size(CM): 57*50*53 G.W.(kg): 25	481,00	6949987481331



All prices reflect German list prices in Euro, excluding value added tax, "ex warehouse Munich". Valid for sales in Germany and Austria only. All specifications and prices are subject to change without prior notification.  
Dedo Weigert Film GmbH - Karl-Weinmair-Str. 10 - 80807 Munich / Germany



LEDGO TECHNOLOGY LIMITED  
Price List 09/2021

Model No.	Picture for reference	Description	Specification	Configuration	Packing Info	List Price EURO	EAN Code
<b>LED Fresnel Light</b>							
LG-D1200M		LEDGO LG-D1200M LED Fresnel Light, 120W, Daylight with DMX	Power:120W Power Source:24V DC 100-240V AC Illumination(LM):7184LM Color Temperature:5600K CRI:Ra:95 Brightness Control:Dimmer/DMX/WIFI/2.4G	LG-D1200M adapter * 1 barndoor*1 carrying bag*1	PCS/CTN: 2PCS/CTN Carton Size(CM): 52*50*34 G.W.(kg): 20.3	849,00	6949987481447
LG-D1200MC		LEDGO LG-D1200MC LED Fresnel Light, 120W, Bi-color with DMX	Power:120W Power Source:24V DC 100-240V AC Illumination(LM):7067LM Color Temperature:3200K-5600K CRI:Ra:95 Brightness Control:Dimmer/DMX/WIFI/2.4G	LG-D1200MC adapter * 1 barndoor*1 carrying bag*1	PCS/CTN: 2PCS/CTN Carton Size(CM): 52*50*34 G.W.(kg): 20.3	965,00	6949987480006
<b>Professional chroma solution (strip light and green screen)</b>							
LG-E60 4KIT		LEDGO LG-E60 4KIT, daylight portable LED 4-Green Screen Strip light kit with light stands & carry bag	Power:48W Power Source: 7-12V DC 18650 battery Illumination(LM):LM Color Temperature:5600K CRI:Ra:95 Power Output Control:Stepless control from 0-100%	LG-E60*4 Adapter set*2 light stands*2 connectors(T2)*2 Carrying bag*1	PCS/CTN: 1PC/CTN Carton Size(CM): 73*39*18 G.W.(kg): 8	417,00	6949987403753
LG-1822U		LEDGO LG-1822U U-Frame Green Screen kit with carry case	1.8W*2.2H	U shape background frame*1 green cloth*1	PCS/CTN: 1PC/CTN Carton Size(CM): 52*38*23 G.W.(kg): 14	351,00	6949987480631
LG-3022U		LEDGO LG-3022U U-Frame Green Screen kit with carry case				525,00	
LG-3522U		LEDGO LG-3522U U-Frame Green Screen kit with carry case	Self standing, U-Shaped curved green screen Superb multi-purpose backdrop Dimensions: 350 x 220cm (W x H) Set up in minutes straight from the bag Lightweight and portable Low wrinkle, easy clean cloth Includes Carry Case Also see LG-E60 Strip Lights			614,00	
<b>POLE OPERATED VERSION</b>							
LG-S280M-PO		LEDGO LG-S280M-PO Studio Stream Series LED Studio soft light, 280W, Bi-color with DMX, 2700K-7500K	LG-S280M-PO CRI(Ra): 95 Power:280W Power Source:48V DC 100-240V AC, Sony V-lock battery Illumination(LM):20649LM 7500K : 97 fc / 1,045Lux at 9.8' / 3 M, 39 fc / 418 lux at 16.4' / 5 M, 21 fc / 229 lux at 23.0' / 7 M 13 fc / 144 lux at 29.5' / 9 M. 5600K : 98 fc / 1,053 lux at 9.8' / 3 M, 41 fc / 439 lux at 16.4' / 5 M, 22 fc / 238 lux at 23.0' / 7 M 14 fc / 152 lux at 29.5' / 9 M. 3200K: 87 fc / 935 lux at 9.8' / 3 M, 36 fc / 391 lux at 16.4' / 5 M, 20 fc / 212 lux at 23.0' / 7 M 13 fc / 135 lux at 29.5' / 9 M. 2700K: 81 fc / 876 lux at 9.8' / 3 M, 32 fc / 349 lux at 16.4' / 5 M, 18 fc / 193 lux at 23.0' / 7 M 11 fc / 123 lux at 29.5' / 9 M. Color Temperature:2700K-7500K CRI:Ra:95 Brightness Control:Dimmer/DMX/WIFI/ 2.4G	LG-S280M-PO*1 Barndoor*1 AC adapter set*1	PCS/CTN: 1PCS/CTN Carton Size(CM): 98*74*25 G.W.(kg):21.5	1,366,00	
LG-S280M-PO		LEDGO LG-S280M-PO Studio Stream Series LED Studio soft light, 280W, daylight with DMX	LG-S280M-PO CRI(Ra): 95 Power:280W Power Source:48V DC 100-240V AC, Sony V-lock battery Illumination(LM): 20649LM 7500K : 97 fc / 1,045Lux at 9.8' / 3 M, 39 fc / 418 lux at 16.4' / 5 M, 21 fc / 229 lux at 23.0' / 7 M 13 fc / 144 lux at 29.5' / 9 M. 5600K : 98 fc / 1,053 lux at 9.8' / 3 M, 41 fc / 439 lux at 16.4' / 5 M, 22 fc / 238 lux at 23.0' / 7 M 14 fc / 152 lux at 29.5' / 9 M. 3200K: 87 fc / 935 lux at 9.8' / 3 M, 36 fc / 391 lux at 16.4' / 5 M, 20 fc / 212 lux at 23.0' / 7 M 13 fc / 135 lux at 29.5' / 9 M. 2700K: 81 fc / 876 lux at 9.8' / 3 M, 32 fc / 349 lux at 16.4' / 5 M, 18 fc / 193 lux at 23.0' / 7 M 11 fc / 123 lux at 29.5' / 9 M. CRI:Ra:95 Brightness Control:Dimmer/DMX/WIFI/ 2.4G Weight: About 11kg	LG-S280M-PO*1 Barndoor*1 AC adapter set*1	PCS/CTN: 1PCS/CTN Carton Size(CM): 98*73*25 G.W.(kg):21.5	1,256,00	



All prices reflect German list prices in Euro, excluding value added tax, "ex warehouse Munich". Valid for sales in Germany and Austria only. All specifications and prices are subject to change without prior notification.  
Dedo Weigert Film GmbH - Karl-Weinmair-Str. 10 - 80807 Munich / Germany



LEDGO TECHNOLOGY LIMITED  
Price List 09/2021

Model No.	Picture for reference	Description	Specification	Configuration	Packing Info	List Price EURO	EAN Code
LG-S150MC-PO		LEDGO LG-S150MC-PO Studio Stream Series LED Studio soft light, 150W, Bi-color with DMX, 2700K-7500K	LG-S150MC-PO CRI(Ra): 95 Power:160W Power Source:48V DC 100-240V AC, Sony V-lock battery Illumination(LM): 12122LM 57 fc / 617 LUX at 9.8' / 3 M, 23 fc / 246 LUX at 16.4' / 5 M, 12 fc / 131 LUX at 23.0' / 7 M, 8 fc / 83 LUX at 29.5' / 9 M. 5600K : 61 fc / 654 LUX at 9.8' / 3 M, 24 fc / 259 LUX at 16.4' / 5 M, 13 fc / 138 LUX at 23.0' / 7 M 8 fc / 87 LUX at 29.5' / 9 M. 3200K: 52 fc / 557 LUX at 9.8' / 3 M, 21 fc / 224 LUX at 16.4' / 5 M, 11 fc / 118 LUX at 23.0' / 7 M 7 fc / 76 LUX at 29.5' / 9 M. 2700K: 49 fc / 532 LUX at 9.8' / 3 M, 19.4 fc / 210 LUX at 16.4' / 5 M, 11 fc / 113 LUX at 23.0' / 7 M 7 fc / 71 LUX at 29.5' / 9 M. Color Temperature:2700K-7500K CRI:Ra:95 Brightness Control:Dimmer/DMX/WIFI/ 2.4G Weight: About 6.7kg	LG-S150MC-PO*1 Barndoor*1 AC adapter set*1 Carrying bag*1	PCS/CTN: 1PCS/CTN Carton Size(CM): 75*26*72 G.W.(kg):	921,00	
LG-S150M-PO		LEDGO LG-S150M-PO Studio Stream Series LED Studio soft light, 150W, daylight with DMX	LG-S150M-PO CRI(Ra): 95 Power:160W Power Source:48V DC 100-240V AC, Sony V-lock battery Illumination(LM):12122LM 57 fc / 617 LUX at 9.8' / 3 M, 23 fc / 246 LUX at 16.4' / 5 M, 12 fc / 131 LUX at 23.0' / 7 M, 8 fc / 83 LUX at 29.5' / 9 M. 5600K : 61 fc / 654 LUX at 9.8' / 3 M, 24 fc / 259 LUX at 16.4' / 5 M, 13 fc / 138 LUX at 23.0' / 7 M 8 fc / 87 LUX at 29.5' / 9 M. 3200K: 52 fc / 557 LUX at 9.8' / 3 M, 21 fc / 224 LUX at 16.4' / 5 M, 11 fc / 118 LUX at 23.0' / 7 M 7 fc / 76 LUX at 29.5' / 9 M. 2700K: 49 fc / 532 LUX at 9.8' / 3 M, 19.4 fc / 210 LUX at 16.4' / 5 M, 11 fc / 113 LUX at 23.0' / 7 M 7 fc / 71 LUX at 29.5' / 9 M. Color Temperature:5600K CRI:Ra:95 Brightness Control:Dimmer/DMX/WIFI/ 2.4G Weight: About 6.7kg	LG-S150M-PO*1 Barndoor*1 AC adapter set*1 Carrying bag*1	PCS/CTN: 1PCS/CTN Carton Size(CM): 75*26*72 G.W.(kg):	853,00	